

Application No.: 10/733,561  
Amendments dated December 10, 2003  
Supplemental Preliminary Amendment


### REMARKS

Review of the Specification showed one correction was needed to amend by this Supplemental Preliminary Amendment; it is included in the Amendments to the Specification.

Additionally, review of the formal drawings as earlier filed showed certain differences that have been corrected by this Amendment. As indicated, each sheet of informal "Annotated Marked-up Drawings" is amended with a "Replacement Sheet" of Formal Figures showing the changes made with the Formal drawings submitted herewith and discussed above in Amendments to the Drawings.

The Application as amended is now believed to be in condition for allowance and such favorable action is respectfully requested.

Respectfully submitted,


  
James E. Brunton, Esquire  
Post Office Box 29000  
Glendale, California 91203  
(818) 956-7154  
Registration No. 24,321

Express Mail mailing label number

EV071114108US

Date of Deposit December 7, 2004.

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 FR 1.10 on the date indicated Above and is addressed to the Commissioner for Patents Post Office Box 1450, Alexandria, VA 22313-1450

Thomas Rogers, paralegal - Brunton & Jagger  
Signature 

JB:ctr  
Enclosures

Application No.: 10/733,561  
Amendments dated December 7, 2004  
Supplemental Preliminary Amendment

### **Amendments to the Drawings**

The attached 7 sheets of Formal Drawings display 9 figures that supplant or replace 8 sheets of informal drawings submitted with “Ultraviolet Lighting Platform,” Serial Number 10/733,561. Herein the terms “informal” and “Formal” are used to refer to “drawings”, “Figures”, or “sheets” or sets of drawings and their constituent drawings. Figures of the set of Formal Drawings are the same Figures that appear in informal drawings they replace, and Figure numbers used in the Formal Drawings are the same as in the informal drawings. Correspondences between the same figures in the informal and Formal drawings are detailed below; and minor variations between the Figures of the two sets are noted. Except as noted in the text and on the Annotated Marked-Up Drawings to follow, element numbers are the same between informal and Formal drawings.

Figure 1 of the 1<sup>st</sup> Sheet of 8 informal drawing sheets submitted with “Ultraviolet Lighting Platform,” No. 10/733,561 is *replaced* by Figure 1 of sheet 1 of 7 of the Formal Drawings.

Figure 2 of the 2<sup>nd</sup> sheet (of 8) informal drawings is *replaced* by Figure 2 of the 2<sup>nd</sup> sheet of 7 of the Formal Drawings. X, Y, and Z, for the three-dimensional X, Y and Z coordinate axes of Figure 2 *omitted* from informal Figure 2, are **added**

## Amendments to the Drawings continued

to Formal Figure 2.

Figure 3 of the 3<sup>rd</sup> sheet of informal drawings is *replaced* by Figure 3 on the 3<sup>rd</sup> sheet of Formal Drawings. As with Formal Figure 2, X, Y, and Z for three-dimensional X, Y and Z coordinate axes of Figure 3 *omitted* from informal Figure 3 are **added** to Formal Figure 3.

Figures 4, 5, and 4A of the first and second '4 of 7' sheets of informal drawings are replaced by Formal Figures 4, 5, and 4A of the 4<sup>th</sup> sheet of Formal drawings. Element 39a of informal Figure 4 is **changed** to 39 in Formal Figure 4, and element 39b of informal Figure 4 is **changed** to 37 of Formal Figure 4.

Figure 6 of the 5<sup>th</sup> sheet of informal drawings is replaced by Figure 6 of the 5<sup>th</sup> sheet of Formal drawings. Likewise, Figure 7 of the 6<sup>th</sup> of 7 sheets of informal drawings is replaced by Figure 7 of the 6<sup>th</sup> sheet of Formal drawings, and Figure 8 of the 7<sup>th</sup> of 7 sheets of informal drawings is replaced by Figure 8 of the 7<sup>th</sup> sheet of Formal drawings.

Uniform Intensity Transilluminator  
Dkt # 003-65  
A. Waluszko Inv  
L.E. Brunton Atty  
Sheet 1017

ANNOTATED MARKED-UP DRAWINGS




Fig. 1

Uniform Intensity Transilluminator  
Bkt # 003-65  
A. Waluszko Inv  
J.E. Brunton Atty  
Sheet 2 of 7

ANNOTATED MARKED-UP DRAWINGS




Fig. 2

Uniform Intensity Transilluminator  
Dkt # 003-65  
A. Waluszko Inv  
J.E. Branton Atty  
Sheet 3 of 7

ANNOTATED MARKED-UP DRAWINGS




Fig. 3

ANNOTATED MARKED-UP DRAWINGS




Fig. 4




Fig. 5

ANNOTATED MARKED-UP DRAWINGS




Fig. 4 A



ANNOTATED MARKED-UP DRAWINGS




Fig. 6

Uniform Intensity Transilluminator  
Dkt # 003-65  
A. Waluszko Inv  
J.E. Brunton Atty  
Steel 6 of 7

ANNOTATED MARKED-UP DRAWINGS




Fig. 7

Uniform Intensity Transilluminator  
Bkt # 003-85  
A. Waluszko Inv  
J.E. Brunton Any  
Sheet 7 of 7

ANNOTATED MARKED-UP DRAWINGS




Fig. 8

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**